
INCREASING THE MARGIN OF STABILITY OF ARBITRARILY FINITE MODES OF FLEXIBL. (U) FLORIDA UNIV GAINESVILLE DEPT OF MATHEMATICS I LASIECKA ET AL. 03 AUG 87 AFOSR-7R-86-0878 AFOSR-84-0365 F/6 13/13 UNCLASSIFIED NL

AD-A172 813

1/1



CONTRACTO MANAGEMENT CONTRACTOR

AD-A172 813

T_DOCUMENTATION PAGE

	,,,,	16 RESTRICTIVE W			
	LECTE	Approved for			ribution
TO DECLASS F CAT ON DOWNS AD TO LECT	f'h o Boo	unlimited.	•		- -
, SERVIEW NO IRLAN ZATION RE NUN		AFOS	GR.TR. 8		
sa Name of PERFORM NO ORGAN ZATION intersity of Florida	Bo OFF IE SYMBO. If applicable	Air Force Office of Scientific Research			
№ ADDRESS (City Sieur and ZIP Code Department of Mathematics Cainesville FL 32611		Directorate Sciences, Bo	of Mathemat	ical & Inf	
M NAME OF FUNDING SPONSORING GREAN ZATION	Bo OFFICE SYMBOL	9 PROCUREMENT INSTRUMENT DENTIFICATION NUMBER			
AFOSR	NM.	AFOSR-84-0365			
Sc ADDRESS (City State and ZIP Code)		10 SOURCE OF FUNDING NOS			
		PROGRAM ELEMENT NO	PROJECT	TASK NO	WORK UNIT
Bolling AFB DC 20332-6448		61102F	2304	A1	
11 TILE Include Security Classification: "INC			IY OF ARBITR	ARILY FINI	TE MODES
OF FLEXIBLE LARGE SPACE STRUCT	URES WITH DAMPIN	!G''			
12 PERSONAL AUTHORIS:					

ANNUAL TECHNICAL

I. Lasienka

COSC PORTORED SESSESSES TENENTAL PROPERTIES AND PROPERTY SESSESSES SUBJECTIVE PROPERTY INCOMES INCOMES

17 COSAT CODES 18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

FJELD GROUP SUB GR

FRCM 9/1/85_ TO 8/3/35

136 TIME COVERED

THE FILE COI

This research project focuses on a canonical component of flexible large space structures, which is modeled by a hyperbolic second order equation (wave equation) with damping, in an arbitrary number of dimensions. The object is to provide a simple, implementable boundary feedback of a specific class which will (i) increase the margin of stability of finitely many modes while (ii) at least preserving the margin of stability of the remaining modes and, moreover, (iii) guarantee the exponential uniform decay of all feedback solutions with the same upper bound enjoyed by the free solutions (homogeneous boundary conditions). An analysis of the distributed parameter model is given by the co-principal investigators, which provides a theoretical solution of the above problem in an essentially constructive way. Numerical implementations of the theoretical proof have been carried out by a Ph.D. student, J. Bartolomeo. They show a behavior of the eigenvalues distribution of the feedback system as predicted by, and in agreement with, the theoretical results.

14 DATE OF REPORT IYE, Mo . Days

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION			
UNCLASSIFIED/UNLIMITED & SAME AS APT OTIC USERS -	UNCLASSIFIED			
228 NAME OF RESPONSIBLE INDIVIDUAL	226 TELEPHONE NUMBER (Include Are Code)	22c OFFICE SYMBOL		
Dr. Marc Q. Jacobs	(202) 767- 4940	NM		

DD FGRM 1473, 83 APR

EDITION OF 1 JAN 73 IS DESOLETE.

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE

15. PAGE COUNT

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

16 .

AFOSR-TR. 80-0878

Annual Technical report

on research project entitled

"Increasing the margin of stability of
arbitrarily finite modes of flexible space

structures with damping"

supported by Air Force Office of
Scientific Research, Grant AFOSR - 84 - 0365.

Co-principal Investigators:

I. Lasiecka and R. Triggiani

Center for Applied Mathematics

University of Florida

Gainesville, FL 32611

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for public release IAW AFR 190-12.
Distribution is unlimited.
MATTHEW J. KEWFER
Chief, Technical Information Division

Approved for public release; distribution unlimited.

Al.

1. Summary

This research project focuses on a canonical component of flexible large space structures, which is modeled by a hyperbolic second order equation (wave equation) with damping, in an arbitrary number of dimensions. The object is to provide a simple, implementable boundary feedback of a specific class which will (i) increase the margin of stability of finitely many modes while (ii) at least preserving the margin of stability of the remaining modes and, moreover, (iii) guarantee the exponential uniform decay of all feedback solutions with the same upper bound enjoyed by the free solutions (homogeneous boundary conditions). An analysis of the distributed parameter model is given by the co-principal investigators, which provides a theoretical solution of the above problem in an essentially constructive way. Numerical implementations of the theoretical proof have been carried out by a Ph.D. student, J. Bartolomeo. They show a behavior of the eigenvalues distribution of the feedback system as predicted by, and in agreement with, the theoretical results.

Technical statement of research objectives and of results achieved. Status of the research.

This research project focuses on a canonical component of flexible large space structures, which is modeled by a hyperbolic equation with damping. The object is to provide a simple, implementable boundary feedback of a specified class, which will (i) increase at will the margin of stability of finitely many modes while (ii) at least preserving the margin of stability of remaining modes. Engineering approximations of the distributed system by lumped systems have failed. In contrast, the approach proposed by the authors applies directly to the distributed system. This has proved successful.

More precisely: consider the following boundary feedback for the damped wave equation

(1) $x_{tt}(t,\xi) = \Delta x(t,\xi) - 2kx_{t}(t,\xi)$

in $(0, \infty) \times \Omega$

I.C. x and x

in Ω

(2) $x(t,\sigma) = [\langle x(t,\cdot), w_1 \rangle + \langle x_t(t,\cdot), w_2 \rangle] g(\sigma)$

in $(0,\infty) \times \Gamma$

Here k > 0 is the coefficient of viscous damping and the right hand side of (2) is the "interior observation" acting on the boundary.

For g=0 and 'small' k>0, the eigenvalues $\lambda_m^{+,-}$ of the free system lie on the vertical line

Re $\lambda = -k$ and it is a classical result that all free solutions decay with upperbound e^{-kt} in the energy norm for $t \ge 0$.

For $g \neq 0$, the following result is proved in [L-T.5], [T.4].

Let a real $g \in L_2(\Gamma)$ be given, with $(g_{\text{ext}}, e_m)_{L_2(\Omega)} \neq 0$, m=1,2,... where $g_{\text{ext}} = \text{harmonic}$ extension of g onto Ω and $\{e_m\}$ are the eigenvectors of the Laplacian Δ with zero Dirichlet B.C. Let an arbitrary sequence $\{\epsilon_m^{+,-}\}$ of distinct, non zero complex numbers, with $\epsilon_m^{+} = \text{complex}$ conjugate of ϵ_m^{-} be given. It is assumed that, moreover, the sequence $\{\epsilon_m^{+,-}\}$ satisfies some technical assumptions i.e. that a few infinite sums involving $\{\lambda_m^{+,-}\}$, $\{\epsilon_m^{+,-}\}$ and $\{g_{\text{ext}}, e_n\}$ be finite), which allow finitely many $\{\epsilon_m^{+,-}\}_{m=1}^{M}$, M arbitrary, to be preassigned at will, while the quence $\{\epsilon_m^{+,-}\}$ approach zero 'sufficiently fast'.

Men, one can construct real vectors $w_i \in L_2(\Omega)$ i = 1, 2, such that the feedback system (1)-(1) has the following two desirable properties:

- (i) its eigenvalues $\{\alpha^{+,-}\}$ are given precisely by $\alpha^{+,-}_m = \lambda^{+,-}_m + \epsilon^{+,-}_m$ (so that any finitely $\{\alpha^{+,-}_m\}$ can be preassigned at will, while the distance $|\alpha^{+,-}_m \lambda^{+,-}_m|$ between new and original eigenvalues goes to zero);
- (ii) its corresponding eigenvectors form a Riesz basis on $L_2(\Omega) \times H^{-1}(\Omega)$.

In particular, we may require $\text{Re } \epsilon_{m}^{+,-} < 0$, in which case all feedback closed loop solutions preserve the overall decay upper bound e^{-kt} , t > 0, in view of properties (i) - (ii). This result, in particular, implies that one can increase at will the margin of stability of

arbitrarily finite modes of the damped wave equation (those presumed 'dominant') by means of the boundary feedback in (2), while the remaining new modes approach asymptotically the original ones from the left of the vertical axis Re $\lambda = -k$.

Numerical testing of the procedure, which is essentially constructive, is being implemented by a Ph.D. student, G. Bartolomeo. Thus, the short term goal of the Project summary of the Original Proposal has been accomplished.

The attached graphs show the numerical results performed on a one-dimensional problem. The crosses indicate the numerically computed eigenvalues of the suitable closed loop boundary feedback system provided by the theoretical investigation. As desired, such eigenvalues accumulate asymptotically at the left of the vertical axis Re $\lambda \approx -k$.

3. List of publication resulted from research study.

- I. Lasiecka and R. Triggiani, Finite rank, relatively bounded perturbations of semigroups generators. Part II: Spectrum and Riesz basis assignment with applications to feedback systems, Ann. Matem. Pura e Appl., to appear.
- J. Bartolomeo, Numberical tests on the problem of eigenvalues assignment for the damped wave equation with boundary feedback, to be submitted.

4. Professional personnel

Co-principal investigators:

- I. Lasiecka, Professor of Mathematics, University of Florida, Gainesville, Florida
- R. Triggiani, Professor of Mathematics, University of Florida, Gainesville, Florida

Graduate Student:

J. Bartolomeo, Ph.D. student, Department of Mathematics, University of Florida, Gainesville, Florida

5. Interactions.

The main results of the research paper in List of Publications above were (or will be) presented by R. Triggiani also at the following conferences:

- (i) Second International Workshop on "Distributed parameter systems" held in Vorau (Austria) on July 9-16, 1984, organized by University of Graz, Austria; published in Springer-Verlag Lecture Notes on Information and Control, # , 1985.
- (ii) The 23rd IEEE Conference on Decision and Control, held in Las Vegas, Nevada, December 12-14, 1984; published in the Proceedings, vol. 3, pp. 1469-1472.
- (iii) Annual Meeting, American Mathematical Society, New Orleans, Jan. 7-11, 1986, Special Session on "Operator Methods on Optimal Control Problems"

In addition, the main content of the present research was the object of seminar talks given by R. Triggiani at: Scuola Normale Superiore, Pisa, Italy, December 1983; Mathematics Department, University of Florida, February 1985.

THE PARTY OF THE PARTY OF THE

CHENT OF
